

Message

From: Andrae, Bill/MKE [William.Andrae@jacobs.com]
Sent: 4/26/2021 5:45:29 PM
To: Giancarlo, Mary Beth [Giancarlo.Marybeth@epa.gov]; Klinkhamer, Christopher [Klinkhamer.Christopher@epa.gov]
CC: Skwarski, Alison/DET [Alison.Skwarski@jacobs.com]; Reif, Marty/WDC [Marty.Reif@jacobs.com]
Subject: Gorge Dam - Outstanding Comments
Attachments: GorgeDam_OutstandingStakeholderComments-ClarificationNeeded.xlsx

Hi Mary Beth and Chris – Attached is an updated version of the outstanding design comments summary table. It combines similar and duplicate comments into single topics that need to be resolved. The ones highlighted in “yellow” are ones which could be considered more urgent than others. The two highlighted in “blue” are more like reminders to you and Chris 😊.

We can discuss these tomorrow. My biggest concerns are the fish windows waiver and the disposition of the sediment underneath the Front Street Bridge rip rap apron.

Cheers!

Bill

Bill Andrae | Jacobs | Design Manager / Environmental Engineer
M: +01.262.366.0968 | william.andrae@jacobs.com
1610 North 2nd Street Suite 201 | Milwaukee, WI 53212 | USA

Jacobs Challenging today.
Reinventing tomorrow.

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.